

**Important: Read all instructions prior to installation.**

## Linkable Linear LED Light Fixture

### Parts Included

- |   |  |
|---|--|
| 1 - integrated T5 tube                  | 1 - tube to tube butt connector        |
| 2 - mounting brackets                   | 1 - tube endcap                        |
| 2 - mounting bracket screws             | 1 - 6-foot AC input cable (hardwire)   |
| 2 - anchors for mounting bracket screws | 1 - 6-foot AC input cable (5-15P plug) |

### Safety and Notes

- This product should be installed in accordance with applicable national, state, and local electrical codes.
- To reduce the risk of electric shock, ensure that the main power source and circuit breakers are switched off before performing any installation or wiring procedures.
- This product is for use in dry, indoor locations only.
- Ensure all mounts are securely attached and will support the weight of the fixture. Failure to properly support the fixture during installation may result in damage or injury, for which the manufacturer does not assume responsibility.
- The total length of wire interconnects in one run should not exceed 300 ft. The total number of lights in a run must not exceed the following:

Max Run	
IT5-NW12-120V	15
IT5-NW24-120V	13
IT5-NW36-120V	10
IT5-NW48-120V	8

### Accessories (not included)





- IT-P15 - 6" [15.24cm] AC input wire
- IT-I30 - 11.8" [30cm] Interconnect
- IT-I100 - 39.4" [100cm] Interconnect
- IT-P100 - 39.4" [100cm] AC wire input wire

### Installation Instructions

1. Drill pilot holes for mounting screws (using anchors if necessary) and install mounting clips.
2. Snap fixtures into place using supplied butt connector between any adjoining fixtures.
3. Use tube end cap to cover connector at end of run.
4. Connect supplied cable to the first light in the run and then to power. Apply power from one side only.





Mounting Bracket Installation (DIM A)	Part Number
3 in [7.62cm]	IT5-NW12-120
6 in [15.24cm]	IT5-NW24-120
9 in [22.86cm]	IT5-NW36-120
12 in [30.48cm]	IT5-NW48-120




**Important: Read all instructions prior to installation.**

## Linkable Linear LED Light Fixture

## Dimensional Drawings



DIM A	Part Number
11.85 in [300.99mm]	IT5-NW12-120
22.54 [572.52mm]	IT5-NW24-120
34.35 in [872.49mm]	IT5-NW36-120
46.44 in [1179.51mm]	IT5-NW48-120





**Important: Read all instructions prior to installation.**



## Linkable Linear LED Light Fixture

### Dimensional Drawings (Accessories)

IT-P15



IT-I30, IT-I100



DIM A	PART NUMBER
100CM	IT-I100
30CM	IT-I30

IT-P100

