


LUX3AR

LED LIGHT BARS





Part Number: **LBFA** LED Cabinet and Display Lighting

Product Description

The LuxBar LED Linear Light Bar Fixture is an **extremely versatile solution** for many indoor lighting needs such as cabinet lighting, under-cabinet lighting, cove lighting, shelf lighting, showcase lighting and display case and other retail/commercial lighting.


Fixture Type:

Project:

Location:

Features

- Plug and Play installs
- 115 Degree Beam Pattern
- Dimmable
- Aluminum Housing
- CE/FCC/ROHS Compliant



Specifications

Lumen	670 Lumen
Connector Type	LBFA (Female)
Dimmable	Yes
LED Lifetime	40000 Hours
Beam Angle	115 degree
Standards and Certs	ROHS Compliant
Operating Voltage	24VDC
CRI	86 CRI
IP Rating	Non-Weatherproof
LED Type	5630 SMD
Strip Width / Depth	19.1mm (0.75") / 11.8mm(0.46in.)
Type	Aluminum Light Bars/Rigid Light Bars
Wattage per foot	3.4watts
Warranty	5 years

Part NO	Total Length	Emitting Color	Color Temperature
LBFA-CW6-V3	5.9in(0.49ft)	Cool White	5600 K
LBFA-CW12-V3	11.8in(0.98ft)	Cool White	5600 K
LBFA-CW24-V3	23.6in (1.97ft)	Cool White	6000 K
LBFA-CW36-V3	35.4in(2.95ft)	Cool White	6000 K
LBFA-CW48-V3	47.2in(3.94ft)	Cool White	6000 K

LBFA-NW6-V3	5.9in(0.49ft)	Natural White	4000K
LBFA-NW12-V3	11.8in(0.98ft)	Natural White	4000K
LBFA-NW24-V3	23.6in (1.97ft)	Natural White	4000K
LBFA-NW36-V3	35.4in(2.95ft)	Natural White	4000K
LBFA-NW48-V3	47.2in(3.94ft)	Natural White	4000K

LBFA-WW6-V3	5.9in(0.49ft)	Warm White	2800K
LBFA-WW12-V3	11.8in(0.98ft)	Warm White	2800K
LBFA-WW24-V3	23.6in (1.97ft)	Warm White	2800K
LBFA-WW36-V3	35.4in(2.95ft)	Warm White	2800K
LBFA-WW48-V3	47.2in(3.94ft)	Warm White	2800K

Size Visualization

LBFA LuxBar series LED Linear Light Bar Fixture. Available in 15, 30, 60, 90, and 120 cm.



Accessories continued

Remotes/Switches

LBFA-SWx Power Switches

LBFA-SW30,
LBFA-SW183



LBFA-PIR Motion Sensor

LBFA-PIR



Lenses

Diffused Lens Cover

LB-DF-Lx



Mounting

3M-FTS Double-Sided Tape

3M-FTS



Flat Mounting Clip

LBFA-MC1



Angled Mounting Clip

LBFA-MC2



LBFA-MC3 Amble Clip

LBFA-MC3



Fixture-Wire Locking Clip

LBFA-CL



Bar to Bar Back Clip

LBFA-BC1



Dimmers

Mini Touch Dimmer

LBFA-DT



2 Channel Dimmer

LBFA-D2



4 Channel Dimmer

LBFA-D4



Connectors

Interconnect Jumper

LBFA-Ix



Pigtail Power Connector

LBFA-PPT



Luxbar Power Connector

LBFA-Px



Multiple Interconnect

LBFA-MCJ



Right Angle Jumper

LBFA-IU



Direct Connect

LBFA-I



Interconnect Cable Joiner

LBFA-JCC



Power Supplies

24V DC CPS Power Supply

CPS-24VDC-24W



Mean Well - SE Series

SE-100-24, SE-200-24,
SE-350-24, SE-450-24,
SE-1000-24, SE-1500-24



Mean Well - SP Series

SP-100-24, SP-150-24,
SP-200-24, SP-240-24,
SP-320-24



Mean Well - LPV series

LPV-20-24, LPV-35-24,
LPV-60-24, LPV-100-24



Mean Well - RS Series

RS-150-24

