

PRODUCT DESCRIPTION

Possibly the smallest extrusion with which you can obtain a line of light. The LINO extrusion is useful in interior design, furniture, exhibitions. Mounted to the surface with two-sided tape or adhesives.




Closet Rated

- Minimum dimensions for creating lines of light
- Effect of a narrow line of light

FINISH :

Silver anodized

Fill empty fields



Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- intended for illumination with a narrow line of light, in grooves, or for attaching various functional and architectural elements, stage design and exhibition forms

Assembly


- with mounting adhesives, professional double-sided tape

Additional information

- frosted covers (diffusers) and aluminum-colored plastic end caps are available for this extrusion

Turn off LED lights during peak day light hours in outdoor applications to avoid excessive heat buildup which will result in diminished LED life.

TECHNICAL DRAWING




RELATED PRODUCTS

COVERS



PIKO Cover
Ref: 17034




END CAPS




LINO End cap
Ref: 24201


LED TAPES




LED strip
K-40-1091-24V
2.8W/F
Ref:
K-40-1091-24V




LED strip
K-30-1091-24V
2.8W/F
Ref:
K-30-1091-24V




LED strip
K-22-1091-24V
2.8W/F
Ref:
K-22-1091-24V




LED strip
K-25-1091-24V
2.8W/F
Ref:
K-25-1091-24V



LED strip
K-27-1091-24V
2.8W/F
Ref:
K-27-1091-24V



LED strip
K-35-1091-24V
2.8W/F
Ref:
K-35-1091-24V



LED strip
K-50-1091-24V
2.8W/F
Ref:
K-50-1091-24V